

Blacklight BL368 Toughcoat T12

F40W T12 BL368 48 Toughcoat™
0001630



HUOMAUTUKSIA

undefined

PRODUCT OVERVIEW

IPC Code	0001630
Product name	F40W T12 BL368 48 Toughcoat™
Technology	Fluorescent
Watt (Rated) (W)	39.50
Lamp shape	Tubular
Type	T12
Cap/Base	G13
Lamp finish	FEP Toughcoated
Fixture rating	Enclosed
General application	Hospitality, Retail, Residential & Consumer
Certifications	EUERL006
ETIM Class	EC002962
E-number FI	4940436
Light colour	BL368 Blacklight
Wattage (W)	40.00
Dimmable	kyllä
Average life (Nominal) (h)	10000
Product EAN number	5410288016306

DATA TABLE

General data

IPC Code	0001630
Product name	F40W T12 BL368 48 Toughcoat™
Technology	Fluorescent
Watt (Rated) (W)	39.50
Lamp shape	Tubular
Type	T12

Blacklight BL368 Toughcoat T12

F40W T12 BL368 48 Toughcoat™
0001630

Cap/Base	G13
Lamp finish	FEP Toughcoated
Fixture rating	Enclosed
General application	Hospitality, Retail, Residential & Consumer
Operating Temperature Range (°C)	-20°C to +40°C
Certifications	EUERL006
ETIM Class	EC002962
E-number FI	4940436

Optical data

Ambient temperature for maximum luminous flux (°C)	25
Correlated colour temperature range (K)	UV-A lamp
Light colour	BL368 Blacklight
Adjustable chromaticity	N

Electrical data

Wattage (W)	40.00
Mains voltage (V)	230-240V~
Control gear required	kyllä
Transformer required	No
Dimmable	kyllä

Lifetime data

Average life (Nominal) (h)	10000
----------------------------	-------

Physical data

Nominal Product Length (mm)	1200.0
Nominal Product Diameter (mm)	38
Max. Length base to base (mm) - A	1199.4
Length base to pin Min-Max (mm) - B	1204.1-1206.5
Max. Lamp Length (mm) - C/L	1213.6
Max. Lamp Diameter (mm) - D	40.5
Weight (kg)	0.275

Packaging

Single packaging type	Carton
Product EAN number	5410288016306
Packaging single length / height (cm)	121.2
Packaging single width (cm)	4.3
Packaging single depth (cm)	4.1
DUN14 (outer)	15410288016303
Units per outer package	25
Packaging outer length / height (cm)	124.0
Packaging outer width (cm)	22.0
Packaging outer depth (cm)	21.0

Safety data

Lamp mercury content (mg)	9.00
---------------------------	------

Blacklight BL368 Toughcoat T12

F40W T12 BL368 48 Toughcoat™

0001630

Recommendation for disposal at end of life Applicable

Special purpose lamp Yes

Intended purpose Flykilling

Suitable for household illumination No