




Plug in ø0.6-0.8W 24VDC LED manual complan. base/connect PLT-10 ID 722113541100



PLT-10 VALVE LED &
MAN O/RIDE (B&C
SAME)

Weight: 8.457 GRM



[Contact us for
product's info](#)

FULL DESCRIPTION 

PLT-10 722113541100

TECHNICAL SHEET

EAN code:	8024986728422
Short description:	Plug in ø0.6-0.8W 24VDC LED manual complan. base/connect PLT-10
Quantity per package:	0
Minimum order quantity:	0
Unit of measure:	items

Valves

Fam	1028
Flow-rate at 6 bar DP 1 bar (NI/min)	0009
Functional denomination	Solenoid valve NC
Insertion time	100% ED
Insulation class	F 155
Max drive frequency (Hz)	30
Max input pressure (bar)	007
Max temperature (°C)	50
Min input pressure (bar)	03
Min temperature (°C)	05
Power	0.8 W
Product serial	Solenoid valves series PLT-10

Protection degree	IP 51
Time (Cycles)	Over 50 million
Type	Electro-pneumatic on base
Voltage range in DC (VDC)	24
Voltage tolerance	±15%
Way scheme	3/2

CONFIGURATION



ACCESSORIES CONFIGURATION



CAD DOWNLOAD



CADENAS 3D

VIDEOS



ENGINEERING TOOLS



PDF DOC AND 2D,3D MODELS

